

AD-A111 874

NAVAL SURFACE WEAPONS CENTER SILVER SPRING MD  
GRAD-B DRIFT OF AN ELECTRON BEAM IN THE HIGH CURRENT BETATRON. (U)

UNCLASSIFIED

NSWC/TR-81-383


F/8 20/7

100  
40 6  
40 14 12

SBI-AD-F500 001

NL

END  
DATE FILMED  
DA-82  
OTIC



AP-F500001

(P)

NSWC TR 81-383

ADA 111874

## **GRAD-B DRIFT OF AN ELECTRON BEAM IN THE HIGH CURRENT BETATRON**

BY HANS S. UHM

RESEARCH AND TECHNOLOGY DEPT.

SEPTEMBER 1981

Approved for public release, distribution unlimited

MAR 11 1982

D

A

FILE COPY



### **NAVAL SURFACE WEAPONS CENTER**

Dahlgren, Virginia 22448 • Silver Spring, Maryland 20910

82 02 22 036


## UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NSWC TR 81-383	2. GOVT ACCESSION NO. AD-A111 874	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Grad-B Drift of an Electron Beam in the High Current Betatron		5. TYPE OF REPORT & PERIOD COVERED Final
7. AUTHOR(s) Dr. Han S. Uhm		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Surface Weapons Center White Oak, Silver Spring, Maryland 20910 (R41)		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61152N, ZR00001, ZR01109, 0
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE September 1981
		13. NUMBER OF PAGES 20
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release, distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) High Current Betatron, Electron Beam, Grad-B Drift, Accelerator		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The equation of motion of the center of mass coordinates for an electron beam in the high current betatron is investigated. For a small betatron field, it is shown that even for a stable single particle orbit of beam electrons, the grad-B drift velocity of the center of mass coordinates can be fractional percents of the speed of light, thereby presenting a serious difficulty in future experiments.		

**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

FOREWORD

The equation of motion of the center of mass coordinates for an electron beam in the high current betatron is investigated. For a small betatron field, it is shown that even for a stable single particle orbit of beam electrons, the grad-B drift velocity of the center of mass coordinates can be fractional percents of the speed of light, thereby presenting a serious difficulty in future experiments.

*Ira M Blatstein*

IRA M. BLATSTEIN  
By direction



DTIG  
COPY  
INSPECTED  
2

SEARCHED	INDEXED
SERIALIZED	FILED
APR 12 1981	
ARMED FORCES RESEARCH	
DIST	SP-1000
A1	

CONTENTS

	<u>Page</u>
INTRODUCTION . . . . .	5
SINGLE PARTICLE ORBIT IN EQUILIBRIUM STATE WITH $(X, Z) = (0, 0)$ . . . . .	7
CENTER OF MASS ORBIT . . . . .	8
GRAD-B DRIFT MOTION WITH SMALL BETATRON FIELD. . . . .	10
REFERENCES . . . . .	15

ILLUSTRATION

<u>Figure</u>	<u>Page</u>
1      CONFIGURATION AND COORDINATE SYSTEM. (a) OVERVIEW AND (b) CROSS SECTION OF THE MINOR DIMENSION . . . . .	12

INTRODUCTION

In recent years, there have been numerous investigations in the high current betatron accelerators,<sup>1-3</sup> in connection with generations of intense high energy electron beams. In a conventional betatron accelerator, a toroidal configuration of electrons is confined in a betatron (or mirror) magnetic field. As shown in Fig. 1a, in the present high current betatron accelerator,<sup>1,2</sup> an additional focussing magnetic field in the azimuthal direction is applied, thereby considerably enhancing the current limitation. However, in the present article, we investigate the equation of motion of the center of mass coordinates for electron beam, with particular emphasis on the grad-B drift<sup>4</sup> caused by the variation of the azimuthal magnetic field with the radial coordinate  $r$ .

As shown in Fig. 1a, the equilibrium configuration consists of a relativistic electron ring located at the midplane of externally imposed mirror field  $B_{er}(r,z)\hat{e}_r + B_{ez}(r,z)\hat{e}_z$ . In addition, the applied azimuthal magnetic field  $B_{e\theta}\hat{e}_\theta$  with the mirror field acts to confine the ring both axially and radially. Here,  $\hat{e}_r$ ,  $\hat{e}_\theta$ , and  $\hat{e}_z$  are the unit vectors along the cylindrical coordinates  $r$ ,  $\theta$ , and  $z$ , respectively. The equilibrium radius of the ring is denoted by  $R_0$ , and the minor dimensions of the ring is denoted by  $2a$  (radial direction) and  $2b$  (axial direction). The minor dimensions of the ring are much smaller than its major radius  $R_0$ . The electron composing the ring gyrate in the external mirror field with azimuthal velocity  $\beta_b c = (\gamma_b^2 - 1)^{1/2} c / \gamma_b$  in the positive  $\theta$ -direction. The associated ring current produces a self magnetic field  $B_s(x)$ , which tends to compress the minor dimensions of the ring both axially and radially. The electron ring is assumed to be partially neutralized by a positive ion

background with a fractional charge neutralization  $f$ . The excess electrons forms the electrostatic field which tends to increase the minor dimensions of the ring.

For the convenience of future analysis, we define  $x = r - R_0$ . Shown in Fig. 1b is the configuration and coordinate system of the minor dimension. The center of mass coordinates of electron beam are denoted by  $(X, Z)$ . The electron density profile is assumed to be

$$n_b^0(x, z) = n_b U[1 - (x - X)^2/a^2 - (z - Z)^2/b^2] , \quad (1)$$

where  $U(x)$  is the Heaviside step function and  $n_b$  is the electron density at the center of mass coordinates  $(X, Z)$ . The self electric and magnetic fields produced by beam itself exert the transverse force<sup>5,6</sup>

$$\vec{F}_s = -\gamma_b m [\omega_r^{s2} (x - X) \hat{x}_r + \omega_z^{s2} (z - Z) \hat{x}_z] , \quad (2)$$

on the beam electrons. Here  $\omega_r^{s2}$  and  $\omega_z^{s2}$  are the radial and axial betatron frequency-squareds of the self field defined by

$$\omega_r^{s2} = \frac{b}{a+b} \omega_p^2 [\beta_b^2 - (1-f)] , \quad (3)$$

$$\omega_z^{s2} = \frac{a}{a+b} \omega_p^2 [\beta_b^2 - (1-f)] ,$$

and  $\omega_p^2 = 4\pi n_b e^2 / \gamma_b m$  is the plasma frequency-squared for beam electrons.

From  $(\nabla \times \vec{B})_z = 0$ , we obtain  $\partial B_{e\theta} / \partial r = -B_{e\theta} / r$  and the symmetry about the  $z = 0$  plane implies  $(\partial B_{e\theta} / \partial z)_0 = 0$ . Thus,  $B_{e\theta}(r, z)$  is approximated by

$$B_{e\theta}(r, z) = B_{e\theta}(R_0, 0)(1 - x/R_0) . \quad (4)$$

Making use of Eqs. (3) and (4), one can obtain the transverse equations of motion

$$\ddot{x} + \omega_c^2(1 - n)x + \omega_r^2(x - X) = \omega_0(1 - x/R_0)\dot{z},$$

$$\ddot{z} + \omega_c^2 nz + \omega_z^2(z - Z) = -\omega_0(1 - x/R_0)x, \quad (5)$$

for beam electrons. In Eq. (5),  $n = -[R_0/B_{ez}(R_0,0)][(\partial/\partial r)B_{ez}(r,0)]_{R_0}$  is the external field index of the mirror field, dot ( $\cdot$ ) denotes the time derivative  $d/dt$ , and  $\omega_c = eB_{ez}(R_0,0)/\gamma_b mc$  and  $\omega_0 = eB_{e\theta}(R_0,0)/\gamma_b mc$  are the electron cyclotron frequencies of the axial and azimuthal magnetic fields, respectively. Note that in Eq. (5), the terms proportional to  $x/R_0$  are contributed by the variation of the azimuthal magnetic field with  $r$ .

#### SINGLE PARTICLE ORBIT IN EQUILIBRIUM STATE WITH $(X,Z) = (0,0)$

In this case, Eq. (5) can be simplified by

$$\ddot{x} + \omega_r^2 x - \omega_0 \dot{z} = 0, \quad (6)$$

$$\ddot{z} + \omega_z^2 z + \omega_0 \dot{x} = 0,$$

where  $\omega_r^2 = \omega_c^2(1 - n) + \omega_r^2$  and  $\omega_z^2 = \omega_c^2 n + \omega_z^2$  are the radial and axial betatron frequency-squareds for external and self fields. In obtaining Eq. (6), use has been made of the fact that  $|\omega_r^2| \approx |\omega_z^2| \approx \omega_0^2$  for a high current betatron. With the usual assumption that  $x$  and  $z$  have solutions of the sinusoidal form

$$x = c \sin(\omega t + \alpha), \quad z = d \cos(\omega t + \alpha), \quad (7)$$

it can be shown that Eq. (6) reduces to

$$d/c = (\omega^2 - \omega_r^2)/\omega \omega_0, \quad (8)$$

and the dispersion relation

$$(\omega^2 - \omega_r^2)(\omega^2 - \omega_z^2) = \omega_\theta^2 \omega^2 , \quad (9)$$

which gives the eigenfrequencies  $\omega = \omega_b^\pm$  defined by

$$2(\omega_b^\pm)^2 = \omega_r^2 + \omega_z^2 + \omega_\theta^2 \pm [(\omega_r^2 + \omega_z^2 + \omega_\theta^2)^2 - 4\omega_r^2 \omega_z^2]^{1/2} , \quad (10)$$

where the two sign ( $\pm$ ) represent fast (+) and slow (-) oscillation states. The necessary and sufficient condition for stable single particle orbit is given by

$$(\omega_r^2 + \omega_z^2 + \omega_\theta^2) > 2|\omega_r \omega_z|, \quad \omega_r^2 \omega_z^2 > 0, \quad (11)$$

which is identical to the previous result<sup>7</sup> obtained for the plasma betatron.

CENTER OF MASS ORBIT. Neglecting momentum spread, Eq. (5) can be averaged over the beam cross section. After some straightforward algebra, we obtain the transverse equation of motion for the center of mass coordinates

$$\ddot{x} + \omega_c^2(1 - n)x = \omega_\theta[\dot{z} - (x\dot{z} - \omega_\theta a^2 n/2)/R_0] , \quad (12)$$

$$\ddot{z} + \omega_c^2 n z = -\omega_\theta[\dot{x} - x(\dot{z} - \omega_\theta b\zeta)/R_0] ,$$

where  $n$  and  $\zeta$  are the form factors of the nonlinear terms with order unity. However, these form factors depend on the oscillation state of individual electron motions.

As a simple example, we consider the fast oscillation state for single particle electron orbit. That is

$$x = X + c \sin(\omega_b^+ t + a), \quad z = Z + d \cos(\omega_b^+ t + a) . \quad (13)$$

Thus, after a straightforward algebraic manipulation, we obtain

$$\langle \dot{x}\dot{z} \rangle = \dot{x}\dot{z} + a^2(\omega_r^2 - \omega_b^{+2})/4\omega_\theta , \quad (14)$$

where the bracket  $\langle \rangle$  represents the average over the beam cross section. From Eq. (14), we identify,

$$n = (\omega_b^{+2} - \omega_r^2)/2\omega_\theta^2 . \quad (15)$$

Similarly, the form factor  $\xi$  is given by

$$\xi = 4(\omega_b^{+2} - \omega_z^2)/3\pi\omega_\theta^2 , \quad (16)$$

for the fast oscillation state corresponding to Eq. (13). In reality, the single particle electron orbit is the linear combination of the fast and slow oscillation states, thereby considerably complicating the form factor determination.

When the betatron field is sufficiently large, satisfying the ratio  $\rho = \omega_c^2 R_0/a\omega_\theta^2 \gg 1$ , then Eq. (12) can be simplified by

$$\ddot{x} + \omega_c^2(1 - n)x = \omega_\theta \dot{z} , \quad (17)$$

$$\ddot{z} + \omega_c^2 n z = -\omega_\theta \dot{x} ,$$

which is an identical form to Eq. (6). Assuming that  $X = \xi_x \sin(\Omega t + \alpha)$  and  $Z = \xi_z \cos(\Omega t + \alpha)$ , one can show that the general solution is the linear combination of the fast (+) and slow (-) oscillation states with the eigenfrequency  $\Omega = \Omega_b^\pm$  defined by  $2(\Omega_b^\pm)^2 = \omega_c^2 + \omega_\theta^2 \pm [(\omega_c^2 + \omega_\theta^2)^2 - 4n(1 - n)\omega_c^4]^{1/2}$ . The center of mass orbit can then be expressed as

$$x^2 + \Omega^2 \{ \omega_\theta / [\Omega^2 - (1-n)\omega_c^2] \}^2 z^2 = \xi_r^2 , \quad (18)$$

for either fast or slow oscillation state. In this regard, we note from Eq. (18) that the center of mass orbit for the slow oscillation

state is hyperbolic [ $n(1 - n) < 0$ ] or elliptic [ $n(1 - n) > 0$ ], depending on the external field index.

GRAD-B DRIFT MOTION WITH SMALL BETATRON FIELD. When the betatron field is small, so that the betatron focussing terms are less than the nonlinear  $B_{e\theta}$  terms (i.e.,  $\rho \ll 1$ ), then Eq. (12) can be approximated by

$$\begin{aligned}\ddot{x} - \omega_\theta \dot{z} &= -\omega_\theta (x\dot{z} - \omega_\theta a^2 n/2)/R_0 , \\ \ddot{z} + \omega_\theta \dot{x} &= \omega_\theta x(\dot{x} - \omega_\theta b\zeta)/R_0 .\end{aligned}\tag{19}$$

Equation (19) has been previously investigated by Ferrari and Zucker<sup>8</sup> for the single particle orbit calculation in the plasma betatron. The result is given by

$$\begin{aligned}x &= x_0 + \xi_x \sin(\omega_\theta t + a) + \dots \\ z &= z_0 + \xi_x \cos(\omega_\theta t + a) + v_g t + \dots ,\end{aligned}\tag{20}$$

where  $x_0$  and  $z_0$  are constants determined from the initial values, the symbol (...) represents the higher order oscillation terms and

$$v_g = -\omega_\theta (\xi_x^2 + a^2 n)/2R_0 ,\tag{21}$$

is the grad-B drift velocity in the z-direction.

Even though the single particle orbit of beam electrons in a high current beam is stable [see Eq. (11)], the center of mass coordinates exhibits a drift motion for a small betatron field. As shown in Eq. (21), the grad-B drift velocity can be fractional percents of the speed of light in the present experimental parameters of a high current betatron. However, in the time varying betatron field, the external focussing terms [terms proportional to  $\omega_c^2$  in Eq. (12)]

NSWC TR 81-383

together with this grad-B drift motion give a finite displacement<sup>8</sup> of the center of mass coordinates (X,Z) from their equilibrium values (0,0). In this regard, it is required to determine an appropriate time profile for the betatron field, thereby reasonably confining an electron beam near its equilibrium orbit.




FIGURE 1 CONFIGURATION AND COORDINATE SYSTEM.  
(a) OVERVIEW AND (b) CROSS SECTION OF THE MINOR DIMENSION.

ACKNOWLEDGMENT

It is a pleasure to acknowledge the benefit of useful discussions with Drs. Won Namkung and C. A. Kapetanakos. This research was supported by the Independent Research Fund at Naval Surface Weapons Center and by the Department of Defense Advanced Research Projects Agency.

REFERENCES

1. P. Sprangle and C. A. Kapetanakos, J. Appl. Phys. 49, 1 (1978).
2. G. Barak, A. Fisher, and H. Ishizuka, and N. Rostoker, IEEE Trans. NS-28, 3340 (1981).
3. A. Fisher, P. Gilad, F. Goldin, and N. Rostoker, Appl. Phys. Lett. 36, 264 (1980).
4. T. J. M. Boyd and J. J. Sanderson, Plasma Dynamics (Barnes & Noble, Inc., New York 1969), Ch. 2.
5. R. C. Davidson and J. D. Lawson, Part. Accel. 4, 1 (1972).
6. H. S. Uhm, Ph.D. Thesis, Univ. of Maryland (1976).
7. L. A. Ferrari and M. S. Zucker, Phys. Fluids 12, 1312 (1969).
8. L. A. Ferrari and M. S. Zucker, Part. Accel. 2, 121 (1971).

## DISTRIBUTION

<u>Copies</u>	<u>Copies</u>
<b>Commander</b>	
Naval Research Laboratory	
Attn: Dr. Sae young Ahn	Office of Naval Research
1	Attn: Dr. Robert Behringer
Dr. Wahab A. Ali	1030 E. Green
1	Pasadena, CA 91106
Dr. J. M. Baird	Office of Naval Research
1	Attn: Dr. T. Berlincourt
Dr. L. Barnett	1
1	Dr. W. J. Condell
Dr. O. Book	Department of the Navy
1	Arlington, VA 22217
Dr. Jay Boris	Commander
1	Naval Air Systems Command
Dr. K. R. Chu	Attn: Dr. Wasneski
1	1
Dr. Timothy Coffey	Department of the Navy
1	Washington, DC 20361
Dr. G. Cooperstein	Commander
1	Naval Sea Systems Command
Dr. A. Drobot	Attn: Dr. C. F. Sharn
1	1
Dr. Richard Fernslor	Department of the Navy
1	Washington, DC 20362
Dr. H. Freund	Harry Diamond Laboratory
1	Attn: Dr. H. E. Brandt
Dr. M. Friedman	1
1	Dr. S. Graybill
Dr. J. Golden	2800 Powder Mill Road
1	Adelphi, MD 20783
Dr. S. Goldstein	U. S. Army Ballistic Research
1	Laboratory
Dr. V. Granatstein	Attn: Dr. D. Eccleshall
1	1
Dr. Robert Greig	Aberdeen Proving Ground
1	MD 21005
Dr. Irving Haber	Air Force Weapons Laboratory
1	Attn: Dr. Ray Lemke
Dr. Richard Hubbard	1
1	Kirtland Air Force Base
Dr. Bertram Hui	Albuquerque, NM 87117
1	Air Force Weapons Laboratory
Dr. Glenn Joyce	Attn: Dr. D. Straw
1	1
Dr. Selig Kainer	Kirtland AFB, NM 87117
1	
Dr. C. A. Kapetanakos	
1	
Dr. M. Lampe	
1	
Dr. Y. Y. Lau	
1	
Dr. W. M. Manheimer	
1	
Dr. Don Murphy	
1	
Dr. Peter Palmadesso	
1	
Dr. Robert Pechacek	
1	
Dr. Michael Picone	
1	
Dr. Michael Raleigh	
1	
Dr. M. E. Read	
1	
Dr. C. W. Roberson	
1	
Dr. J. D. Sethian	
1	
Dr. William Sharp	
1	
Dr. J. S. Silverstein	
1	
Dr. Philip Sprangle	
1	
Dr. Doug Strickland	
1	
Dr. C. M. Tang	
1	
Dr. N. Vanderplaats	
1	
Washington, DC 20375	

**DISTRIBUTION (Cont.)**

	<u>Copies</u>		<u>Copies</u>
U.S. Department of Energy		TRW	
Attn: Dr. T. Godlove	1	Defense and Space Systems	
Dr. M. Month	1	Group	
Dr. J. A. Snow	1	Attn: Dr. D. Arnush	1
Washington, DC 20545		Dr. M. Caponi	1
National Bureau of Standards		1 Space Park	
Attn: Dr. Sam Penner	1	Redondo Beach, CA 90278	
Bldg. 245			
Washington, DC 20234			
National Bureau of Standards		Lawrence Livermore National	
Attn: Dr. Mark Wilson	1	Laboratory	
Gaithersburg, MD 20760		Attn: Dr. W. A. Barletta	1
Defense Advanced Research		Dr. R. Briggs	1
Projects Agency		Dr. H. L. Buchanan	1
Attn: Dr. J. Bayless	1	Dr. Frank Chambers	1
Dr. Robert Fossum	1	Dr. T. Fessenden	1
Dr. J. A. Mangano	1	Dr. Edward P. Lee	1
LCOL W. Whitaker	1	Dr. James Mark	1
1400 Wilson Blvd.		Dr. Jon A. Masamitsu	1
Arlington, VA 22209		Dr. V. Kelvin Neil	1
Science Applications Inc.		Dr. R. Post	1
Attn: Dr. Richard E. Aamodt	1	Dr. D. S. Prono	1
934 Pearl St. Suite A		Dr. M. E. Rensink	1
Boulder, CO 80302		Dr. Simon S. Yu	1
Science Applications Inc.		University of California	
Attn: Dr. L. Feinstein	1	Livermore, CA 94550	
Dr. Robert Johnston	1	Physics International Co.	
Dr. Douglas Keeley	1	Attn: Dr. Jim Benford	1
Dr. John Siambis	1	Dr. S. Putnam	1
5 Palo Alto Square		2700 Merced Street	
Palo Alto, CA 94304		San Leandro, CA 94577	
Science Applications, Inc.		Sandia Laboratories	
Attn: Dr. A. W. Trivelpiece	1	Attn: Dr. K. D. Bergeron	1
San Diego, CA 92123		Dr. B. Epstein	1
Science Applications, Inc.		Dr. S. Humphries	1
Attn: Dr. Ron Parkinson	1	Dr. Tom Lockner	1
1200 Prospect Street		Dr. Bruce R. Miller	1
P.O. Box 2351		Dr. C. L. Olson	1
La Jolla, CA 92038		Dr. Gerold Yonas	1
		Albuquerque, NM 87115	
		La Jolla Institute	
		Attn: Dr. K. Brueckner	1
		Prof. N. M. Kroll	1
		P.O. Box 1434	
		La Jolla, CA 92038	

## DISTRIBUTION (Cont.)

<u>Copies</u>	<u>Copies</u>		
Mission Research Corp. Attn: Dr. Neal Carron Dr. Conrad Longmire 735 State Street Santa Barbara, CA 93102	1	Austin Research Associates Attn: Prof. W. E. Drummond Dr. M. Lee Sloan Dr. James R. Thompson 1901 Rutland Drive Austin, TX 78758	1
Mission Research Corp. Attn: Dr. B. Godfrey 1400 San Mateo Blvd., S.E. Suite A Albuquerque, NM 87108	1	Western Research Corporation Attn: Dr. Franklin Felber 8616 Commerce Avenue San Diego, CA 92121	1
McDonnell Douglas Corp. Attn: Dr. M. Greenspan Dr. J. Carl Leader P. O. Box 516 St. Louis, MO 63166	1	Jaycor Attn: Dr. J. U. Guillory Dr. D. Tidman 205 S. Whiting Street Alexandria, VA 22304	1
Los Alamos National Lab. Attn: Dr. Barry Newberger Dr. L. E. Thode Mail Stop 608 Los Alamos, NM 87544	1	Varian Associates Attn: Dr. Howard Jory 611 Hansen Way Palo Alto, CA 94303	1
Los Alamos Scientific Lab. Attn: Dr. H. Dreicer Dr. R. J. Faehl Los Alamos, NM 87544	1	Lawrence Berkeley Lab. Attn: Dr. Denis Keefe Dr. Hogil Kim Dr. Hong Chul Kim Dr. Kwang Je Kim Dr. L. J. Laslett Dr. G. R. Lambertson Dr. A. M. Sessler Dr. L. Smith 1 Cyclotron Road Berkeley, CA 94720	1
Pulse Sciences, Inc. Attn: Dr. Sid Putnam 1615 Broadway, Suite 610 Oakland, CA 94612	1	Stanford Linear Accelerator Center Attn: Dr. Philip Morton P.O. Box 4349 Stanford, CA 94305	1
National Science Foundation Attn: Dr. R. Hill Physics Division, #341 Washington, DC 20550		AVCO - Everett Research Laboratory, Inc. Attn: Dr. Richard Patrick 2385 Revere Beach Pkwy Everett, MA 02149	1
W. J. Schafer Associates, Inc. Attn: Dr. Edward Cornet 1901 North Fort Myer Dr. Arlington, VA 22209	1		

## DISTRIBUTION (Cont.)

<u>Copies</u>	<u>Copies</u>		
Oak Ridge National Lab Attn: Dr. J. A. Rome Oak Ridge, TN 37850	1	University of California Attn: Dr. Gregory Benford Dr. A. Fisher Prof. N. Rostoker	1 1 1
University of California at Los Angeles Attn: Prof. F. Chen Dr. A. T. Lin Dr. J. Dawson Dr. C. S. Liu Dr. Edward Ott Los Angeles, CA 90024	1 1 1 1 1	Physics Department Irvine, CA 92717 Yale University Attn: Dr. I. B. Bernstein Dr. J. L. Hirshfield	1 1
University of Maryland Attn: Dr. W. Destlar Dr. C. S. Liu Dr. Won Namkung Dr. E. Ott Prof. M. Reiser Dr. Moon-Jhong Rhee Dr. C. D. Striffler College Park, MD 20742	1 1 1 1 1 1 1	Mason Laboratory 400 Temple Street New Haven, CT 06520 Cornell University Attn: Prof. H. Fleischmann Prof. D. Hammer Prof. R. V. Lovelace Prof. J. Nation Prof. R. Sudan	1 1 1 1 1
Columbia University Attn: Prof. P. Diamond Prof. S. Schlesinger New York, NY 10027	1 1	University of Texas at Austin Institute for Fusion Studies RLM 11.218 Austin, TX 78712	1
North Carolina State University Attn: Prof. W. Doggett Dr. Jin Joong Kim P. O. Box 5342 Raleigh, NC 27650	1 1	Stevens Institute of Technology Attn: Prof. George Schmidt Physics Department Hoboken, NJ 07030	1
Massachusetts Institute of Technology Attn: Prof. George Bekefi Dr. K. J. Button Prof. R. Davidson Dr. R. Temkin 77 Massachusetts Avenue Cambridge, MA 02139	1 1 1 1	Dartmouth College Attn: Dr. John E. Walsh Department of Physics Hanover, NH 03755 Defense Technical Information Center Cameron Station Alexandria, VA 22314	1 12

